2026 EDITION

PYRAMID GLASS

ABOUT
PYRAMID GLASS

*Founded in 2009, **Pyramid Glass** is a leading glassware manufacturer based in Egypt, serving international markets with a wide range of high-quality glass products. Over the years, the company has grown steadily, building strong expertise in large-scale production and consistently delivering reliable solutions to global partners.*

With a daily production capacity of 170 tons across 12 production lines, Pyramid Glass produces more than 400 different items within an expanding catalogue. Its strategic location in Egypt provides direct access to key markets across the Middle East, Asia, Europe, and the Americas.

PYRAMID GLASS

*Known for consistency, efficiency, and competitive pricing, **Pyramid Glass** takes pride in offering quality-driven products tailored to the needs of both retail and hospitality sectors. The company remains committed to continuous improvement, long-term partnerships, and raising international standards of quality and customer satisfaction.*

***Pyramid Glass** operates in accordance with internationally recognized management systems and holds the following certifications:*

- ***ISO 9001:2015** – Quality Management System.*
- ***ISO 14001:2015** – Environmental Management System.*
- ***ISO 45001:2018** – Occupational Health and Safety Management System.*

These certifications reflect Pyramid Glass's commitment to quality, sustainability, and safe working practices across all operations.

OCCUPATIONAL HEALTH & SAFETY MANAGEMENT ISO 45001

ENVIRONMENTAL MANAGEMENT ISO 14001

QUALITY ASSURANCE MANGEMENT ISO 9001

PYRAMID GLASS

SILICA SAND

SODA ASH

SODIUM FELDESPAR

SODIUM SULPHATE

LIMESTONE

Guide

01 TUMBLERS
02 MUGS
03 COFFEE SETS
04 BOWLS
05 PLATES
06 SETS
07 ASHTRAYS
08 PRINTED GLASSWARE
09 THE HOT SPRAY COLOR INFUSION

TUMBLERS

A versatile collection of glass tumblers designed for everyday use and a wide range of beverages. Crafted for durability and clarity, these pieces feature balanced proportions and timeless design, making them suitable for both casual dining and professional hospitality settings.

Available in capacities ranging from 50 ml to 550 ml.

THE ART OF GLASSWARE

New

COLLECTION
PRESS BLOWN

URBAN ROCK

H	8.5 CM	S	9 OZ
T	7.5 CM	C	255 ML
B	6.2 CM		

CURVED LOWBALL

H	13.5 CM	S	7 OZ
T	6.3 CM	C	205 ML
B	5.2 CM		

COLLINS

H	14 CM	S	12 OZ
T	6.5 CM	C	350 ML
B	6.1 CM		

CF-5T(A)

H	7 CM	S	3 OZ
T	5.9 CM	C	90 ML
B	4.1 CM		

CF-5T (H)

H	7 CM	S	3 OZ
T	5.9 CM	C	90 ML
B	4.1 CM		

CF-5T (HC)

H	7 CM	S	3 OZ
T	5.9 CM	C	90 ML
B	4.1 CM		

CF-5T(IR)

H	7 CM	S	3 OZ
T	5.9 CM	C	90 ML
B	4.1 CM		

CF-5T (L1)

H	7 CM	S	3 OZ
T	5.9 CM	C	90 ML
B	4.1 CM		

MR-203

H	9.8 CM	S	7 OZ
T	7.1 CM	C	206 ML
B	5.1 CM		

RSA-8T

H	9.8 CM	S	7 OZ
T	6.7 CM	C	195 ML
B	4 CM		

AH-8T(A)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	214 ML
B	5.4 CM		

AH-8T (C)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	214 ML
B	5.4 CM		

AH-8T (D1)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	214 ML
B	5.4 CM		

AH-8T (D2)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	212 ML
B	5.4 CM		

AH-8T (H)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	213 ML
B	5.4 CM		

AH-8T (HC)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	214 ML
B	5.4 CM		

AH-8T (I)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	214 ML
B	5.4 CM		

AH-8T (IR)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	213 ML
B	5.4 CM		

AH-8T (L1)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	214 ML
B	5.4 CM		

AH-8T (LS)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	212 ML
B	5.4 CM		

AH-8T (O)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	210 ML
B	5.4 CM		

AH-8T (R)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	212 ML
B	5.4 CM		

AH-8T (SL)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	212 ML
B	5.4 CM		

AH-8T (SQ2)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	213 ML
B	5.4 CM		

AH-8T (SW)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	214 ML
B	5.4 CM		

AH-8T (W)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	213 ML
B	5.4 CM		

AH-8T (DL)

H	9.9 CM	S	7 OZ
T	6.9 CM	C	210 ML
B	5.4 CM		

AH-10T (A)

H	12 CM	S	11 OZ
T	8 CM	C	325 ML
B	5.9 CM		

AH-10T (IR)

H	12 CM	S	11 OZ
T	8 CM	C	320 ML
B	5.9 CM		

AH-10T (L1)

H	12 CM	S	11 OZ
T	8 CM	C	322 ML
B	5.9 CM		

AH-12T (A)

H	14 CM	S	12 OZ
T	7.9 CM	C	358 ML
B	5.5 CM		

AH-15T (A)

H	14.7 CM	S	17 OZ
T	8.8 CM	C	489 ML
B	6 CM		

AH-15T (C)

H	14.7 CM	S	16 OZ
T	8.8 CM	C	471 ML
B	6 CM		

AH-15T (CH)

H	14.7 CM	S	16 OZ
T	8.8 CM	C	483 ML
B	6 CM		

AH-15T (D1)

H	14.7 CM	S	16 OZ
T	8.8 CM	C	485 ML
B	6 CM		

AH-15T (DL)

H	14.7 CM	S	16 OZ
T	8.8 CM	C	480 ML
B	6 CM		

AH-15T (L1)

H	14.7 CM	S	16 OZ
T	8.8 CM	C	483 ML
B	6 CM		

AH-15T (L2)

H	14.7 CM	S	17 OZ
T	8.8 CM	C	488 ML
B	6 CM		

AH-15T (S)

H	14.7 CM	S	16 OZ
T	8.8 CM	C	484 ML
B	6 CM		

AC-6T (A)

H	8.5 CM	S	6 OZ
T	6.6 CM	C	170 ML
B	5.1 CM		

AC-6T (D2)

H	8.5 CM	S	6 OZ
T	6.6 CM	C	170 ML
B	5.1 CM		

AC-6T (LS)

H	8.5 CM	S	6 OZ
T	6.6 CM	C	170 ML
B	5.1 CM		

AC-6T (W)

H	8.5 CM	S	6 OZ
T	6.6 CM	C	169 ML
B	5.1 CM		

AC-11W (A)

H	8.5 CM	S	9 OZ
T	8.4 CM	C	280 ML
B	7 CM		

AC-11W (CH)

H	8.5 CM	S	9 OZ
T	8.4 CM	C	280 ML
B	7 CM		

AC-11W (D1)

H	8.5 CM	S	9 OZ
T	8.4 CM	C	280 ML
B	7 CM		

AC-11W (I)

H	8.5 CM	S	9 OZ
T	8.4 CM	C	280 ML
B	7 CM		

AC-11W (L1)

H	8.5 CM	S	9 OZ
T	8.4 CM	C	280 ML
B	7 CM		

DH-7T

H	9 CM	S	7 OZ
T	6.7 CM	C	196 ML
B	4.7 CM		

DH-8T

H	9 CM	S	8 OZ
T	6.7 CM	C	243 ML
B	6 CM		

DU-8T

H	8.2 CM	S	9 OZ
T	7.8 CM	C	255 ML
B	6.3 CM		

T-05T

H	6.5 CM	S	5 OZ
T	6.6 CM	C	148 ML
B	4.8 CM		

EPEC-6T (A)

H	7.6 CM	S	6 OZ
T	6.5 CM	C	165 ML
B	6 CM		

EGP-9 (A)

H	8.6 CM	S	8 OZ
T	7.5 CM	C	245 ML
B	6.5 CM		

EGP-9 (L1)

H	8.6 CM	S	8 OZ
T	7.5 CM	C	245 ML
B	6.5 CM		

EPEC-11W (A)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	292 ML
B	7.7 CM		

EPEC-11W (C)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	293 ML
B	7.7 CM		

EPEC-11W (CH)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	296 ML
B	7.7 CM		

EPEC-11W (HL)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	290 ML
B	7.7 CM		

EPEC-11W (IR)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	291 ML
B	7.7 CM		

EPEC-11W (L1)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	290 ML
B	7.7 CM		

EPEC-11W (R)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	294 ML
B	7.7 CM		

EPEC-11W (SL)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	290 ML
B	7.7 CM		

EPEC-11W (SP)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	295 ML
B	7.7 CM		

EPEC-11W (SQ2)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	294 ML
B	7.7 CM		

ICO-300TW

H	8.9 CM	S	10 OZ
T	8.1 CM	C	300 ML
B	5.7 CM		

EPEC-11W (SW)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	291 ML
B	7.7 CM		

EPEC-11W (W)

H	8.8 CM	S	10 OZ
T	8.2 CM	C	292 ML
B	7.7 CM		

EAG-11W

H	8.8 CM	S	10 OZ
T	8.2 CM	C	290 ML
B	7.6 CM		

EPEC-9T (A)

H	8.6 CM	S	8 OZ
T	7.5 CM	C	245 ML
B	6.5 CM		

EPEC-9 (L1)

H	8.6 CM	S	8 OZ
T	7.5 CM	C	245 ML
B	6.5 CM		

EPEC-12T(A)

H	13.2 CM	S	11 OZ
T	7.4 CM	C	335 ML
B	6.3 CM		

OR-4T (A)

H	7.5 CM	S	3 OZ
T	5.6 CM	C	103 ML
B	4.2 CM		

OR-4T (H)

H	7.5 CM	S	3 OZ
T	5.6 CM	C	100 ML
B	4.2 CM		

OR-4T (IR)

H	7.5 CM	S	3 OZ
T	5.6 CM	C	103 ML
B	4.2 CM		

OR-4T(L1)

H	7.5 CM	S	3 OZ
T	5.6 CM	C	103 ML
B	4.2 CM		

OR-6T(A)

H	8.6 CM	S	5 OZ
T	6.3 CM	C	160 ML
B	4.6 CM		

OR-6T(DL)

H	8.6 CM	S	5 OZ
T	6.3 CM	C	157 ML
B	4.6 CM		

OR-6T(L1)

H	8.6 CM	S	5 OZ
T	6.3 CM	C	160 ML
B	4.6 CM		

OR-6T(R)

H	8.6 CM	S	5 OZ
T	6.3 CM	C	160 ML
B	4.6 CM		

OR-6T(SL)

H	8.6 CM	S	5 OZ
T	6.3 CM	C	156 ML
B	4.6 CM		

OR-6T (IR)

H	8.6 CM	S	5 OZ
T	6.3 CM	C	159 ML
B	4.6 CM		

OR-10T (A)

H	11.1 CM	S	8 OZ
T	7.1 CM	C	250 ML
B	4.9 CM		

OR-10T (DL)

H	11.1 CM	S	8 OZ
T	7.1 CM	C	250 ML
B	4.9 CM		

OR-10T (IR)

H	11.1 CM	S	8 OZ
T	7.1 CM	C	250 ML
B	4.9 CM		

OR-10T (L1)

H	11.1 CM	S	8 OZ
T	7.1 CM	C	250 ML
B	4.9 CM		

OR-10T (R)

H	11.1 CM	S	8 OZ
T	7.1 CM	C	250 ML
B	4.9 CM		

OR-10T (SL)

H	11.1 CM	S	8 OZ
T	7.1 CM	C	250 ML
B	4.9 CM		

OR-15T(A)

H	14.5 CM	S	16 OZ
T	8.6 CM	C	485 ML
B	5.9 CM		

OR-16T (A)

H	15.2 CM	S	17 OZ
T	8.7 CM	C	510 ML
B	5.9 CM		

CT-300 (A)

H	8.4 CM	S	9 OZ
T	8.5 CM	C	275 ML
B	5.5 CM		

CT-300 (CH)

H	8.4 CM	S	9 OZ
T	8.5 CM	C	269 ML
B	5.5 CM		

CT-300 (DL)

H	8.4 CM	S	9 OZ
T	8.5 CM	C	268 ML
B	5.5 CM		

CT-300 (IR)

H	8.4 CM	S	9 OZ
T	8.5 CM	C	270 ML
B	5.5 CM		

CT-300 (L1)

H	8.4 CM	S	9 OZ
T	8.5 CM	C	275 ML
B	5.5 CM		

CT-300 (R)

H	8.4 CM	S	9 OZ
T	8.5 CM	C	275 ML
B	5.5 CM		

CT-300 (SQ1)

H	8.4 CM	S	9 OZ
T	8.5 CM	C	275 ML
B	5.5 CM		

CT-300 (SQ2)

H	8.4 CM	S	9 OZ
T	8.5 CM	C	269 ML
B	5.5 CM		

CT-400 (DL)

H	12 CM	S	13 OZ
T	8.5 CM	C	377 ML
B	5.6 CM		

CT-400 (IR)

H	12 CM	S	13 OZ
T	8.5 CM	C	380 ML
B	5.6 CM		

CT-400 (L1)

H	12 CM	S	13 OZ
T	8.5 CM	C	382 ML
B	5.6 CM		

CT-400 (SQ2)

H	12 CM	S	13 OZ
T	8.5 CM	C	381 ML
B	5.6 CM		

FLUT-330TW

H	10.1 CM	S	11 OZ
T	8.3 CM	C	330 ML
B	4.6 CM		

AR-100TS

H	7.2 CM	S	3 OZ
T	5.5 CM	C	103 ML
B	5.1 CM		

AR-300TW

H	8.9 CM	S	11 OZ
T	8.2 CM	C	318 ML
B	7.9 CM		

AR-350TL

H	14 CM	S	11 OZ
T	7 CM	C	326 ML
B	6.4 CM		

CR-100TS

H	7.2 CM	S	4 OZ
T	5.5 CM	C	110 ML
B	5.1 CM		

CR-300TW

H	8.9 CM	S	11 OZ
T	8.2 CM	C	318 ML
B	7.9 CM		

CR-350TL

H	14 CM	S	11 OZ
T	7 CM	C	327 ML
B	6.4 CM		

TS-9T (A)

H	12.2 CM	S	8 OZ
T	6.3 CM	C	250 ML
B	4.4 CM		

TS-9T (W)

H	12.2 CM	S	8 OZ
T	6.3 CM	C	247 ML
B	4.4 CM		

TS-9T (L1)

H	12.2 CM	S	8 OZ
T	6.3 CM	C	248 ML
B	4.4 CM		

TS-9T (W)

H	12.2 CM	S	8 OZ
T	6.3 CM	C	247 ML
B	4.4 CM		

TS-9T (SL)

H	12.2 CM	S	8 OZ
T	6.3 CM	C	245 ML
B	4.4 CM		

TS-9T (DL)

H	12.2 CM	S	8 OZ
T	6.3 CM	C	249 ML
B	4.4 CM		

PLK-4T

H	6.8 CM	S	4 OZ
T	6.5 CM	C	110 ML
B	4 CM		

ECA-5T

H	6.7 CM	S	4 OZ
T	5.8 CM	C	104 ML
B	3.2 CM		

906-W

H	7.8 CM	S	5 OZ
T	7 CM	C	162 ML
B	4.6 CM		

US-4T

H	7.8 CM	S	4 OZ
T	6 CM	C	126 ML
B	4.5 CM		

ECA-11W

H	9.4 CM	S	9 OZ
T	7.5 CM	C	255 ML
B	6.5 CM		

K-11W

H	9.6 CM	S	13 OZ
T	9 CM	C	383 ML
B	6.8 CM		

1008-T

H	9.7 CM	S	7 OZ
T	7 CM	C	215 ML
B	5.5 CM		

CASA-360

H	11.8 CM	S	11 OZ
T	8.4 CM	C	330 ML
B	5.8 CM		

1012-T

H	12.9 CM	S	11 OZ
T	7.7 CM	C	340 ML
B	5 CM		

ECA-12T

H	12.8 CM	S	10 OZ
T	7.2 CM	C	310 ML
B	5.6 CM		

ECA-15T

H	13.8 CM	S	18 OZ
T	8 CM	C	525 ML
B	6.4 CM		

K-15T

H	14.4 CM	S	15 OZ
T	8.1 CM	C	458 ML
B	6.2 CM		

LN-6T

H	7.4 CM	S	5 OZ
T	6.4 CM	C	155 ML
B	4 CM		

HL-5T

H	8.3 CM	S	5 OZ
T	5.9 CM	C	135 ML
B	4.5 CM		

HL-6T

H	8.8 CM	S	6 OZ
T	6.5 CM	C	178 ML
B	4.5 CM		

LN-11W

H	8.8 CM	S	10 OZ
T	8.2 CM	C	296 ML
B	6.1 CM		

LN-10T

H	11.1 CM	S	9 OZ
T	7.2 CM	C	276 ML
B	5 CM		

LN-15T

H	15 CM	S	15 OZ
T	8.1 CM	C	453 ML
B	5.1 CM		

SH-4T

H	7 CM	S	2 OZ
T	4.6 CM	C	50 ML
B	3.2 CM		

SH-4T (BOLD)

H	7 CM	S	1 OZ
T	4.6 CM	C	42 ML
B	3.2 CM		

TN-5STS

H	5.9 CM	S	2 OZ
T	4.5 CM	C	54 ML
B	3 CM		

PU-7

H	9.6 CM	S	6 OZ
T	6.3 CM	C	184 ML
B	4.8 CM		

WA-7T

H	10 CM	S	6 OZ
T	6.9 CM	C	190 ML
B	4.9 CM		

WA-10T

H	11.3 CM	S	9 OZ
T	7.5 CM	C	280 ML
B	5.2 CM		

EPP-7T (A)

H	8.2 CM	S	7 OZ
T	7.8 CM	C	218 ML
B	6.2 CM		

EPP-7T (IR)

H	8.2 CM	S	7 OZ
T	7.8 CM	C	218 ML
B	6.2 CM		

EPP-7T (SW)

H	8.2 CM	S	7 OZ
T	7.8 CM	C	218 ML
B	6.2 CM		

EPP-7T (L1)

H	8.2 CM	S	7 OZ
T	7.8 CM	C	218 ML
B	6.2 CM		

MOROCO

H	6.5 CM	S	3 OZ
T	5.1 CM	C	86 ML
B	3.6 CM		

PBN-8T

H	9.8 CM	S	6 OZ
T	5.7 CM	C	163 ML
B	5.4 CM		

TC-9T

H	11.3 CM	S	9 OZ
T	7.1 CM	C	268 ML
B	4.3 CM		

RB-210

H	11 CM	S	7 OZ
T	5.9 CM	C	205 ML
B	5.6 CM		

RB-240

H	12.6 CM	S	8 OZ
T	6.2 CM	C	235 ML
B	5 CM		

RB-270

H	13.4 CM	S	9 OZ
T	6.2 CM	C	258 ML
B	5.3 CM		

EBH-5T

H	6.7 CM	S	4 OZ
T	6.2 CM	C	104 ML
B	2.8 CM		

605-T

H	6.7 CM	S	3 OZ
T	6.2 CM	C	98 ML
B	3.8 CM		

MA-5T

H	7.1 CM	S	3 OZ
T	5.8 CM	C	100 ML
B	3 CM		

C-4T

H	6.9 CM	S	3 OZ
T	6.3 CM	C	102 ML
B	3.9 CM		

C-5T

H	8.1 CM	S	4 OZ
T	6.8 CM	C	125 ML
B	3.9 CM		

UT-5T

H	8.1 CM	S	4 OZ
T	5.9 CM	C	115 ML
B	3.5 CM		

K-03

H	5.8 CM	S	3 OZ
T	5.6 CM	C	87 ML
B	3.9 CM		

K-04

H	7.5 CM	S	3 OZ
T	5.2 CM	C	100 ML
B	3.8 CM		

K-06

H	7.8 CM	S	6 OZ
T	7 CM	C	175 ML
B	5 CM		

K-09

H	7.3 CM	S	8 OZ
T	10.2 CM	C	223 ML
B	4.9 CM		

SG-7T

H	8.1 CM	S	7 OZ
T	7.2 CM	C	198 ML
B	6.4 CM		

SG-9T

H	9 CM	S	8 OZ
T	7.5 CM	C	240 ML
B	6.6 CM		

SG-11T

H	12.1 CM	S	10 OZ
T	7.3 CM	C	308 ML
B	6.6 CM		

SG-12T

H	11.8 CM	S	8 OZ
T	6.7 CM	C	247 ML
B	5 CM		

506-T

H	8 CM	S	5 OZ
T	6.6 CM	C	151 ML
B	4 CM		

509-T

H	10.1 CM	S	8 OZ
T	7.1 CM	C	241 ML
B	5.2 CM		

HS-6T

H	7.6 CM	S	6 OZ
T	6.8 CM	C	176 ML
B	5.1 CM		

HS-9T

H	9.7 CM	S	9 OZ
T	7 CM	C	264 ML
B	5.1 CM		

EYD-11T (A)

H	10.8 CM	S	12 OZ
T	8.7 CM	C	358 ML
B	6.2 CM		

EYD-11T (SQ2)

H	10.8 CM	S	12 OZ
T	8.7 CM	C	358 ML
B	6.2 CM		

DD-14W

H	10.3 CM	S	13 OZ
T	8.7 CM	C	384 ML
B	6 CM		

DD-16T

H	14.6 CM	S	18 OZ
T	8.6 CM	C	533 ML
B	6.2 CM		

MA-6T

H	7.6 CM	S	6 OZ
T	6.8 CM	C	183 ML
B	4.6 CM		

MA-8T

H	9.8 CM	S	8 OZ
T	7 CM	C	224 ML
B	4.3 CM		

MA-12T

H	13.5 CM	S	10 OZ
T	7.1 CM	C	303 ML
B	4.6 CM		

BTM-12T

H	12.6 CM	S	10 OZ
T	7.3 CM	C	295 ML
B	5.3 CM		

IP-9T

H	10.7 CM	S	9 OZ
T	7.2 CM	C	259 ML
B	4.7 CM		

EAG-11T

H	11.9 CM	S	11 OZ
T	7.4 CM	C	315 ML
B	5.5 CM		

ITP-6T

H	8.5 CM	S	5 OZ
T	6.5 CM	C	158 ML
B	4.8 CM		

WAS-6T

H	8.4 CM	S	6 OZ
T	6.3 CM	C	164 ML
B	4.3 CM		

EMI-9T

H	8.8 CM	S	8 OZ
T	7.6 CM	C	230 ML
B	4 CM		

WAS-8TS

H	9.4 CM	S	7 OZ
T	6.9 CM	C	215 ML
B	5 CM		

D-9A

H	9.3 CM	S	8 OZ
T	7.1 CM	C	232 ML
B	5.2 CM		

D-9T

H	9.3 CM	S	7 OZ
T	7.1 CM	C	221 ML
B	5.2 CM		

New
COLLECTION

LIN-430TL

H	12.7 CM	S	15 OZ
T	8 CM	C	430 ML
B	4.3 CM		

MUGS

A refined collection of glass mugs designed with a focus on strength, comfort, and everyday practicality. Each piece is produced to withstand regular use and undergoes thermal shock testing to ensure enhanced durability and reliable performance across various settings.

Available in capacities ranging from 90 ml to 400 ml.

PP-100

H	5.3 CM	S	3 OZ
T	6.3 CM	C	91 ML
B	3.3 CM		

EMI-01A

H	6.5 CM	S	7 OZ
T	8 CM	C	204 ML
B	4.6 CM		

EIC-02A

H	6.5 CM	S	7 OZ
T	8 CM	C	199 ML
B	4.5 CM		

BR-190(A)

H	6.6 CM	S	6 OZ
T	7.2 CM	C	192 ML
B	5.8 CM		

BR-190 (L1)

H	6.6 CM	S	6 OZ
T	7.2 CM	C	183 ML
B	5.8 CM		

BR-190 (SL)

H	6.6 CM	S	6 OZ
T	7.2 CM	C	181 ML
B	5.8 CM		

BR-190 (IR)

H	6.6 CM	S	6 OZ
T	7.2 CM	C	183 ML
B	5.8 CM		

BR-190 (E)

H	6.6 CM	S	6 OZ
T	7.2 CM	C	183 ML
B	5.8 CM		

BL-180 (A)

H	6.8 CM	S	6 OZ
T	8 CM	C	189 ML
B	6.3 CM		

BL-180 (L1)

H	6.8 CM	S	6 OZ
T	8 CM	C	189 ML
B	6.3 CM		

PP-240

H	6.8 CM	S	9 OZ
T	9.4 CM	C	275 ML
B	4.3 CM		

PP-240 (PE)

H	6.8 CM	S	9 OZ
T	9.4 CM	C	275 ML
B	4.3 CM		

PP-240 (SQ2)

H	6.8 CM	S	9 OZ
T	9.4 CM	C	275 ML
B	4.3 CM		

PP-240 (SQ2) (PE)

H	6.8 CM	S	9 OZ
T	9.4 CM	C	275 ML
B	4.3 CM		

PP-200MG

H	7.9 CM	S	7 OZ
T	7.3 CM	C	218 ML
B	5 CM		

PP-250MG (A)

H	8.7 CM	S	9 OZ
T	7.8 CM	C	258 ML
B	5 CM		

PP-250MG (DL)

H	8.7 CM	S	9 OZ
T	7.8 CM	C	258 ML
B	5 CM		

PP-250MG (L1)

H	8.7 CM	S	9 OZ
T	7.8 CM	C	257 ML
B	5 CM		

PP-300MG

H	8.8 CM	S	10 OZ
T	8 CM	C	310 ML
B	6.3 CM		

PP-400MG

H	10 CM	S	12 OZ
T	8 CM	C	366 ML
B	7.9 CM		

STF-350 (A)

H	9.8 CM	S	11 OZ
T	8 CM	C	340 ML
B	7.8 CM		

STF-350 (IR)

H	9.8 CM	S	11 OZ
T	8 CM	C	340 ML
B	7.8 CM		

STF-350 (L1)

H	9.8 CM	S	11 OZ
T	8 CM	C	340 ML
B	7.8 CM		

G-12

H	10.5 CM	S	10 OZ
T	7.3 CM	C	287 ML
B	4.5 CM		

EIC-170 (A)

H	8.5 CM	S	6 OZ
T	6.9 CM	C	165 ML
B	4.8 CM		

EIC-170 (L1)

H	8.5 CM	S	6 OZ
T	6.9 CM	C	165 ML
B	4.8 CM		

EIC-170 (L2)

H	8.4 CM	S	6 OZ
T	6.7 CM	C	165 ML
B	4.7 CM		

CM-250 (A)

H	9 CM	S	9 OZ
T	7.6 CM	C	253 ML
B	5.8 CM		

CM-250 (DL)

H	9 CM	S	9 OZ
T	7.6 CM	C	253 ML
B	5.8 CM		

CM-250 (L1)

H	9 CM	S	9 OZ
T	7.6 CM	C	253 ML
B	5.8 CM		

ATL-04A

H	8.1 CM	S	4 OZ
T	5.7 CM	C	105 ML
B	3.7 CM		

AD-170

H	9.4 CM	S	6 OZ
T	7.2 CM	C	180 ML
B	5.5 CM		

IS-170

H	9.2 CM	S	5 OZ
T	6.4 CM	C	148 ML
B	3.5 CM		

BAS-04A

H	9.3 CM	S	5 OZ
T	6.6 CM	C	158 ML
B	5.2 CM		

NC-6M

H	9.2 CM	S	6 OZ
T	6.5 CM	C	175 ML
B	4.6 CM		

RSA-170

H	9.5 CM	S	6 OZ
T	6.7 CM	C	168 ML
B	3.7 CM		

EPA-7T (A)

H	9 CM	S	6 OZ
T	6.5 CM	C	180 ML
B	7.4 CM		

EPH-7T

H	9 CM	S	6 OZ
T	6.5 CM	C	178 ML
B	4.6 CM		

PHT-170 (A)

H	9.4 CM	S	6 OZ
T	6.3 CM	C	178 ML
B	4 CM		

PHT-170 (L1)

H	9.4 CM	S	6 OZ
T	6.3 CM	C	177 ML
B	4 CM		

EPH-9T

H	10.3 CM	S	9 OZ
T	7.2 CM	C	274 ML
B	5.2 CM		

EPA-10T (A)

H	10.9 CM	S	9 OZ
T	7.8 CM	C	264 ML
B	5 CM		

SJC-360 (SW)

H	12.6 CM	S	13 OZ
T	8.5 CM	C	392 ML
B	5.3 CM		

SJC-360 (H)

H	12.6 CM	S	13 OZ
T	8.5 CM	C	390 ML
B	5.3 CM		

SJC-360 (HC)

H	12.6 CM	S	13 OZ
T	8.5 CM	C	386 ML
B	5.3CM		

SJC-360 (IR)

H	12.6 CM	S	13 OZ
T	8.5 CM	C	371 ML
B	5.3 CM		

SJC-360 (L1)

H	12.6 CM	S	13 OZ
T	8.5 CM	C	378 ML
B	5.3 CM		

SJC-400 (A)

H	13.5 CM	S	12 OZ
T	8.1 CM	C	365 ML
B	5.2 CM		

SJC-400 (D1)

H	13.5 CM	S	12 OZ
T	8.1 CM	C	365 ML
B	5.2 CM		

SJC-400 (I)

H	13.5 CM	S	12 OZ
T	8.1 CM	C	365 ML
B	5.2 CM		

SJC-400 (O)

H	13.5 CM	S	13 OZ
T	8.1 CM	C	365 ML
B	5.2 CM		

SJC-400 (SQ2)

H	13.5 CM	S	12 OZ
T	8.1 CM	C	365 ML
B	5.2 CM		

SJC-400 (DL)

H	13.5 CM	S	12 OZ
T	8.1 CM	C	365 ML
B	5.2 CM		

SJC-400 (IR)

H	13.5 CM	S	12 OZ
T	8.1 CM	C	365 ML
B	5.2 CM		

SJC-400 (L1)

H	13.5 CM	S	12 OZ
T	8.1 CM	C	365 ML
B	5.2 CM		

FLUT-110CP

H	7.1 CM	S	4 OZ
T	6 CM	C	110 ML
B	3 CM		

FLUT-320MG

H	11.2 CM	S	11 OZ
T	7.9 CM	C	315 ML
B	4.7 CM		

COFFEE SETS

An elegant range of glass coffee sets created for cohesive table presentation. Each set pairs a matching mug with its plate, offering balanced proportions, consistent quality, and proven resistance through thermal shock testing, ensuring dependable performance for daily use in both retail and hospitality environments.

PP-100AB

	H	T	B	S	C
SAUCER	2.3	10	4.4	3	91
CUP	5.3	6.3	3	OZ	ML
	CM	CM	CM		

ATL-04AB

	H	T	B	S	C
SAUCER	2.4	12.7	5.8	4	105
CUP	8.1	5.7	3.7	OZ	ML
	CM	CM	CM		

BR-190 (E) AB

	H	T	B	S	C
SAUCER	1.7	12.9	5.6	6	183
CUP	6.6	7.2	5.8	OZ	ML
	CM	CM	CM		

BR-190(A) AB

	H	T	B	S	C
SAUCER	1.7	12.9	5.6	6	192
CUP	6.6	7.2	5.8	OZ	ML
	CM	CM	CM		

BR-190(L1) AB

	H	T	B	S	C
SAUCER	1.7	12.9	5.6	6	183
CUP	6.6	7.2	5.8	OZ	ML
	CM	CM	CM		

BR-190(SL) AB

	H	T	B	S	C
SAUCER	1.7	12.9	5.6	6	181
CUP	6.6	7.2	5.8	OZ	ML
	CM	CM	CM		

BL-180AB

	H	T	B	S	C
SAUCER	1.7	12.9	5.6	6	175
CUP	7	7.8	6.3	OZ	ML
	CM	CM	CM		

EIC-02AB

	H	T	B	S	C
SAUCER	2	13.3	5.8	7	199
CUP	6.5	8	4.5	OZ	ML
	CM	CM	CM		

PP-240AB

	H	T	B	S	C
SAUCER	1.7	12.9	5.6	9	275
CUP	6.8	9.4	4.3	OZ	ML
	CM	CM	CM		

PP-240(PE)AB

	H	T	B	S	C
SAUCER	2	13.7	5.4	9	275
CUP	6.8	9.4	4.3	OZ	ML
	CM	CM	CM		

PP-240AB (SQ2)

	H	T	B	S	C
SAUCER	1.7	12.9	5.6	9	275
CUP	6.8	9.4	4.3	OZ	ML
	CM	CM	CM		

PP-240(SQ2)(PE)AB

	H	T	B	S	C
SAUCER	2	13.7	5.4	9	275
CUP	6.8	9.4	4.3	OZ	ML
	CM	CM	CM		

BOWLS

A compact selection of glass bowls designed for portioning, serving, and table presentation.

Produced with consistent thickness and clean finishing, these bowls offer practicality and durability with a simple, versatile aesthetic suitable for everyday and professional use. Selected designs are available with matching glass covers for added functionality and convenience.

Available in diameters ranging from 9 cm to 30 cm.

New
COLLECTION

SOR-3.5B

H	10 CM	S	9 OZ
T	9 CM	C	255 ML
B	7 CM		

STB-90

H	4 CM	S	5 OZ
T	8.9 CM	C	152 ML
B	4.9 CM		

STB-120

H	5 CM	S	11 OZ
T	12.1 CM	C	320 ML
B	5 CM		

STB-140

H	6.2 CM	S	19 OZ
T	14.1 CM	C	565 ML
B	7 CM		

STB-170

H	7.6 CM	S	36 OZ
T	16.9 CM	C	1050 ML
B	9 CM		

STB-200

H	8.2 CM	S	53 OZ
T	20.1 CM	C	1558 ML
B	11 CM		

STB-230

H	9.7 CM	S	86 OZ
T	23 CM	C	2545 ML
B	13 CM		

CR-140B

H	7.5 CM	S	14 OZ
T	13.7 CM	C	400 ML
B	5.5 CM		

PP-140B

H	7.5 CM	S	14 OZ
T	13.7 CM	C	425 ML
B	5.8 CM		

CR-11B (1)

H	9.2 CM	S	90 OZ
T	28.5 CM	C	2670 ML
B	14 CM		

CR-180B

H	9.2 CM	S	32 OZ
T	18 CM	C	955 ML
B	8.3 CM		

PP-180B

H	9.2 CM	S	33 OZ
T	18.2 CM	C	965 ML
B	8.5 CM		

CR-11B (2)

H	9.2 CM	S	90 OZ
T	28.5 CM	C	2670 ML
B	14 CM		

CR-180BF

H	17.2 CM	S	32 OZ
T	18 CM	C	955 ML
B	10 CM		

PP-180BF

H	17.3 CM	S	33 OZ
T	21.8 CM	C	965 ML
B	10 CM		

CR-140 BC

H	13.2 CM	S	14 OZ
T	13.7 CM	C	400 ML
B	5.5 CM		

PP-140 BC

H	13.2 CM	S	14 OZ
T	13.7 CM	C	425 ML
B	5.8 CM		

EPP-130B

H	5 CM	S	11 OZ
T	12.6 CM	C	329 ML
B	5.5 CM		

PI-130

H	5 CM	S	11 OZ
T	13 CM	C	340 ML
B	7.8 CM		

PP-7B

H	5.3 CM	S	20 OZ
T	16.2 CM	C	585 ML
B	6.7 CM		

EPP-165B

H	6.2 CM	S	23 OZ
T	16.4 CM	C	688 ML
B	10.2 CM		

EPP-165B (IR)

H	6.2 CM	S	23 OZ
T	16.4 CM	C	685 ML
B	10.2 CM		

EPP-165B (L 1)

H	6.2 CM	S	23 OZ
T	16.4 CM	C	684 ML
B	10.2 CM		

PP-2200B

H	8.7 CM	S	60 OZ
T	21.8 CM	C	1780 ML
B	12.5 CM		

PP-2200BC

H	14 CM	S	60 OZ
T	21.8 CM	C	1780 ML
B	12.5 CM		

BB-100

H	4.6 CM	S	6 OZ
T	9.6 CM	C	170 ML
B	5.1 CM		

BB-120

H	5.2 CM	S	8 OZ
T	11.5 CM	C	250 ML
B	6.2 CM		

BB-130

H	5.2 CM	S	12 OZ
T	12.7 CM	C	360 ML
B	8 CM		

BB-150

H	5.5 CM	S	17 OZ
T	14.8 CM	C	515 ML
B	8.3 CM		

BB-2350

H	9.8 CM	S	86 OZ
T	23.2 CM	C	2534 ML
B	16.3 CM		

BH-4B

H	4.6 см	S	7 OZ
T	10.5 см	C	195 ML
B	4.3 см		

BH-5B

H	5.4 см	S	11 OZ
T	12.5 см	C	320 ML
B	5 см		

BH-9B

H	8 см	S	54 OZ
T	22.6 см	C	1600 ML
B	10 см		

EMI-5B

H	4.3 см	S	9 OZ
T	11.9 см	C	278 ML
B	6 см		

EMI-5.5B

H	4.1 см	S	10 OZ
T	13.3 см	C	284 ML
B	6.2 см		

EMI-8.5B

H	10.5 см	S	81 OZ
T	21.5 см	C	2400 ML
B	9.3 см		

ORG-4B

H	3.2 CM	S	4 OZ
T	9.4 CM	C	105 ML
B	4.1 CM		

ORG-5B

H	4.6 CM	S	8 OZ
T	12.5 CM	C	245 ML
B	5.8 CM		

ORG-7B

H	5.6 CM	S	20 OZ
T	16.9 CM	C	588 ML
B	7.3 CM		

CEL-5B

H	5.8 CM	S	14 OZ
T	12.8 CM	C	425 ML
B	5.6 CM		

CEL-9B

H	9.9 CM	S	78 OZ
T	22.8 CM	C	2300 ML
B	9.7 CM		

AF-140V(A)

H	6.6 CM	S	19 OZ
T	16.3 CM	C	571 ML
B	7.7 CM		

AF-140V (D1)

H	6.6 CM	S	18 OZ
T	16.3 CM	C	533 ML
B	7.7 CM		

AF-140V (SQ1)

H	6.6 CM	S	18 OZ
T	16.3 CM	C	525 ML
B	7.7 CM		

AF-130

H	6.9 CM	S	19 OZ
T	12.7 CM	C	570 ML
B	9.9 CM		

RG-7B

H	6.2 CM	S	26 OZ
T	17.4 CM	C	776 ML
B	8.2 CM		

RG-10B

H	10.6 CM	S	101 OZ
T	25 CM	C	2980 ML
B	8.8 CM		

ESK-125

H	4.5 CM	S	9 OZ
T	12.3 CM	C	278 ML
B	5.5 CM		

ESK-250

H	9.4 CM	S	79 OZ
T	24.3 CM	C	2340 ML
B	10.2 CM		

FW-5B

H	5.2 CM	S	13 OZ
T	13.3 CM	C	375 ML
B	7 CM		

BF-9B

H	9.7 CM	S	63 OZ
T	22.6 CM	C	1860 ML
B	12.5 CM		

RB-105

H	4.1 CM	S	6 OZ
T	10.4 CM	C	180 ML
B	4 CM		

RB-130

H	5.2 CM	S	12 OZ
T	13.2 CM	C	360 ML
B	7 CM		

SK-3.75

H	4 CM	S	4 OZ
T	8.8 CM	C	118 ML
B	5 CM		

SK-5B

H	5.3 CM	S	9 OZ
T	12.5 CM	C	264 ML
B	7.3 CM		

SK-6.5

H	6.8 CM	S	22 OZ
T	16.2 CM	C	644 ML
B	9.6 CM		

SK-9B

H	8.6 CM	S	51 OZ
T	22.5 CM	C	1512 ML
B	12.4 CM		

LE-4B

H	4.4 CM	S	6 OZ
T	9.3 CM	C	170 ML
B	3.5 CM		

LE-7B

H	5.3 CM	S	20 OZ
T	16.5 CM	C	600 ML
B	6.8 CM		

DL-4B

H	3.7 CM	S	4 OZ
T	10.6 CM	C	125 ML
B	3.8 CM		

DL-5B

H	4.5 CM	S	7 OZ
T	12.5 CM	C	215 ML
B	4.9 CM		

G-120B

H	5.9 CM	S	12 OZ
T	11.8 CM	C	345 ML
B	8 CM		

G-220B

H	11 CM	S	83 OZ
T	22 CM	C	2445 ML
B	14.6 CM		

PM-5B

H	5 CM	S	9 OZ
T	11 CM	C	260 ML
B	4.5 CM		

AUR-5B

H	5.3 CM	S	13 OZ
T	13 CM	C	387 ML
B	9 CM		

K-120

H	5.5 CM	S	13 OZ
T	11.9 CM	C	388 ML
B	6.7 CM		

K-120 BC

H	10.6 CM	S	13 OZ
T	11.9 CM	C	388 ML
B	6.7 CM		

CCS-7.5B

H	6.3 CM	S	39 OZ
T	18.9 CM	C	1160 ML
B	12.5 CM		

CCS-7.5 BC

H	9 CM	S	39 OZ
T	18.9 CM	C	1160 ML
B	12.5 CM		

Plates

A refined selection of glass plates developed to support a wide variety of serving needs. Featuring precise shaping and uniform finish, each piece delivers dependable performance while maintaining a clean, understated appearance suited to both casual and professional table settings. Selected designs are available in footed styles, adding elevation and visual emphasis to table presentation.

Available in diameters ranging from 10 cm to 30 cm.

TS-4S

H	2.3 см	S	-
T	10 см	C	-
B	4.4 см		

PG-120

H	2.4 см	S	-
T	11.9 см	C	-
B	6 см		

PP-5P

H	2.4 см	S	-
T	12.3 см	C	-
B	6.8 см		

ATL-04B

H	2.5 см	S	-
T	12.6 см	C	-
B	6.2 см		

EIC-02B

H	2 см	S	-
T	13.3 см	C	-
B	5.8 см		

EPP-03B

H	1.8 см	S	-
T	12.4 см	C	-
B	5.3 см		

PP-5S

H	1.7 см	S	-
T	12.9 см	C	-
B	5.6 см		

PP-5S (L1)

H	1.7 см	S	-
T	12.9 см	C	-
B	5.6 см		

EMI-02B

H	2 см	S	-
T	13.3 см	C	-
B	6 см		

IR-5.5

H	2 см	S	-
T	13.6 см	C	-
B	5.6 см		

PM-5.5

H	1.8 см	S	-
T	13.8 см	C	-
B	8.5 см		

RB-5.5P

H	1.9 см	S	-
T	13.7 см	C	-
B	7.3 см		

BB-5.25P

H	1.8 CM	S	-
T	13 CM	C	-
B	6.2 CM		

BH-5.5

H	2.4 CM	S	-
T	13.8 CM	C	-
B	6.2 CM		

EPP-05P

H	1.8 CM	S	-
T	11.4 CM	C	-
B	5.1 CM		

PE-5S

H	2 CM	S	-
T	13.7 CM	C	-
B	5.4 CM		

TS-5S

H	2.2 CM	S	-
T	11.3 CM	C	-
B	4.3 CM		

PM-7S

H	1.9 CM	S	-
T	17.8 CM	C	-
B	9.8 CM		

PM-10S

H	2.2 CM	S	-
T	25.3 CM	C	-
B	13.5 CM		

PM-13S

H	2.5 CM	S	-
T	33 CM	C	-
B	18.9 CM		

PM-6P

H	2.6 CM	S	-
T	15 CM	C	-
B	9.6 CM		

PM-9D

H	3.1 CM	S	-
T	23 CM	C	-
B	12 CM		

PM-3000

H	5.5 CM	S	84 OZ
T	30 CM	C	2490 ML
B	13.8 CM		

EPP-9S

H	1.9 см	S	-
T	22.8 см	C	-
B	13 см		

EPP-10S

H	2.5 см	S	-
T	26.3 см	C	-
B	15.5 см		

EPP-12S

H	2.2 см	S	-
T	30 см	C	-
B	17.3 см		

EPP-13S

H	2.3 см	S	-
T	33 см	C	-
B	19.5 см		

PP-160

H	1.7 см	S	-
T	15.8 см	C	-
B	15.2 см		

PP-220

H	2.1 см	S	-
T	21.8 см	C	-
B	21.3 см		

PP-260

H	2.4 см	S	-
T	25.8 см	C	-
B	25 см		

EPP-6D

H	2.7 см	S	-
T	15.2 см	C	-
B	8 см		

EPP-7D

H	2.9 см	S	-
T	17.7 см	C	-
B	9.3 см		

EPP-8D

H	2.9 см	S	-
T	20.2 см	C	-
B	10.8 см		

PP-9D

H	3.3 см	S	-
T	22 см	C	-
B	11 см		

PP-2800

H	4.7 см	S	-
T	27.8 см	C	-
B	15 см		

EPP-800

H	4.5 см	S	-
T	19.4 см	C	-
B	10.4 см		

PP-850

H	5.2 см	S	-
T	21.5 см	C	-
B	11.4 см		

SK-6P

H	1.7 CM	S	-
T	14.8 CM	C	-
B	8.3 CM		

SK-7P

H	1.9 CM	S	-
T	17.3 CM	C	-
B	9.5 CM		

SK-8P

H	2 CM	S	-
T	19.6 CM	C	-
B	10.5 CM		

SK-8P(D)

H	2 CM	S	-
T	19.6 CM	C	-
B	10.5 CM		

SK-8P(V)

H	2 CM	S	-
T	19.6 CM	C	-
B	10.5 CM		

SK-3000

H	5.4 CM	S	78 OZ
T	29.8 CM	C	2310 ML
B	13.7 CM		

EMI-7S

H	1.7 см	S	-
T	17.8 см	C	-
B	10.2 см		

EMI-9S

H	2.3 см	S	-
T	23 см	C	-
B	13 см		

EMI-6D

H	2.5 см	S	-
T	15 см	C	-
B	8 см		

EMI-7D

H	2.8 см	S	-
T	17.5 см	C	-
B	9.3 см		

EMI-9D

H	3.1 см	S	-
T	22.6 см	C	-
B	11.7 см		

EMI-11D

H	4.7 см	S	-
T	28 см	C	-
B	14.8 см		

BH-7P

H	2 CM	S	-
T	17.7 CM	C	-
B	7.7 CM		

BH-9P

H	2 CM	S	-
T	22.7 CM	C	-
B	10.4 CM		

BH-9P (D)

H	2 CM	S	-
T	22.7 CM	C	-
B	10.4 CM		



BH-9P (V)

H	2 CM	S	-
T	22.7 CM	C	-
B	10.4 CM		

BH-3000(1)

H	5.6 CM	S	84 OZ
T	30 CM	C	2475 ML
B	15.8 CM		

BH-3000(2)

H	5.6 CM	S	84 OZ
T	30 CM	C	2475 ML
B	15.8 CM		

CEL-6D

H	2.4 CM	S	-
T	15 CM	C	-
B	7.5 CM		

CEL-7D

H	2.9 CM	S	-
T	17.5 CM	C	-
B	7.6 CM		

CEL-8D

H	3 CM	S	-
T	19.8 CM	C	-
B	7.5 CM		

CEL-9D

H	3.2 CM	S	-
T	22.2 CM	C	-
B	8.6 CM		

CEL-8S

H	2.1 CM	S	-
T	20 CM	C	-
B	9.8 CM		

CEL-10S

H	2.5 CM	S	-
T	25.5 CM	C	-
B	12.5 CM		

BF-6D

H	2.5 CM	S	-
T	14.9 CM	C	-
B	6.4 CM		

BF-7D

H	2.9 CM	S	-
T	17.4 CM	C	-
B	7.2 CM		

BF-8D

H	3 CM	S	-
T	20 CM	C	-
B	8.2 CM		

BF-9D

H	3.4 CM	S	-
T	22.6 CM	C	-
B	12.2 CM		

RS-7D

H	3.7 см	S	-
T	17.3 см	C	-
B	8.2 см		

RS-8D

H	4 см	S	-
T	19.8 см	C	-
B	9.3 см		

RS-9D

H	3.9 см	S	-
T	22.8 см	C	-
B	10 см		

PE-7S

H	1.9 см	S	-
T	18.2 см	C	-
B	10.3 см		

PE-10S

H	2.3 см	S	-
T	26 см	C	-
B	15.5 см		

PE-13S

H	2.6 см	S	-
T	32.4 см	C	-
B	21.3 см		

PE-12OD

H	3.1 CM	S	-
T	31 CM	C	-
B	24 CM		

PE-13SF

H	11 CM	S	-
T	32.4 CM	C	-
B	10 CM		

TUL-12P

H	2.9 CM	S	-
T	30 CM	C	-
B	19 CM		

CHR-12P

H	3 CM	S	-
T	30 CM	C	-
B	17 CM		

TUL-3000

H	6 CM	S	80 OZ
T	30 CM	C	2360 ML
B	16 CM		

TUL-3000F

H	15.4 CM	S	80 OZ
T	30 CM	C	2360 ML
B	12.2 CM		

BB-3000

H	5.7 CM	S	80 OZ
T	30 CM	C	2355 ML
B	13.2 CM		

BB-3000F

H	14.7 CM	S	80 OZ
T	30 CM	C	2355 ML
B	12.2 CM		

RBN-11

H	5.3 CM	S	58 OZ
T	27.8 CM	C	1717 ML
B	13.5 CM		

RBN-11F

H	14.7 CM	S	58 OZ
T	27.8 CM	C	1717 ML
B	12.2 CM		

PM-10SF

H	9.7 CM	S	-
T	25.3 CM	C	-
B	10 CM		

PM-13SF

H	10.3 CM	S	-
T	33 CM	C	-
B	10 CM		

EPP-12SF

H	10.2 CM	S	-
T	30 CM	C	-
B	10 CM		

EPP-13SF

H	10.3 CM	S	-
T	33 CM	C	-
B	10 CM		

PP-2800F

H	12.8 CM	S	-
T	27.8 CM	C	-
B	10 CM		

BH-3000F (1)

H	14.3 CM	S	84 OZ
T	30 CM	C	2475 ML
B	12.2 CM		

BH-3000F (2)

H	14.3 CM	S	84 OZ
T	30 CM	C	2475 ML
B	12.2 CM		

PM-3000F

H	15 CM	S	84 OZ
T	30 CM	C	2490 ML
B	12.2 CM		

EMI-11DF

H	14.1 CM	S	49 OZ
T	28 CM	C	1460 ML
B	12.2 CM		

ESK-250F

H	19 CM	S	79 OZ
T	24.3 CM	C	2340 ML
B	12.2 CM		

HD-2007 (4)

H	9 CM	S	94 OZ
T	29 CM	C	2770 ML
B	6.9 CM		

HD-2007F(4)

H	18 CM	S	94 OZ
T	29 CM	C	2770 ML
B	12.2 CM		

HD-2007(2)

H	8.8 CM	S	93 OZ
T	29 CM	C	2750 ML
B	10 CM		

HD-2007F (2)

H	18.5 CM	S	93 OZ
T	29 CM	C	2750 ML
B	12.2 CM		

CR-11BF (2)

H	17.8 CM	S	90 OZ
T	28.5 CM	C	2670 ML
B	12.2 CM		

CR-11BF (2)

H	16.2 CM	S	90 OZ
T	28.5 CM	C	2670 ML
B	10 CM		

BH-13S

H	2.9 CM	S	-
T	32.5 CM	C	-
B	15 CM		

BH-13SF

H	10.8 CM	S	-
T	32.5 CM	C	-
B	10 CM		

GR-22

H	5 CM	S	45 OZ
T	22 CM	C	1345 ML
B	18.8 CM		

GR-22 (CH)

H	5 CM	S	45 OZ
T	22 CM	C	1330 ML
B	18.8 CM		

GR-22 (L)

H	5 CM	S	44 OZ
T	22 CM	C	1315 ML
B	18.8 CM		

GR-22 BC

H	10.2 CM	S	45 OZ
T	22 CM	C	1345 ML
B	18.8 CM		

GR-22 (CH) BC

H	10.2 CM	S	45 OZ
T	22 CM	C	1330 ML
B	18.8 CM		

GR-22 (L) BC

H	10.2 CM	S	44 OZ
T	22 CM	C	1315 ML
B	18.8 CM		

GR-260

H	6.4 CM	S	81 OZ
T	26 CM	C	2390 ML
B	23 CM		

GR-22F

H	12.9 CM	S	45 OZ
T	22 CM	C	1345 ML
B	10 CM		

STAND OPTIONS

FT-100

H	8.1 CM	S	-
T	3.6 CM	C	-
B	10 CM		

STAND OPTIONS

FT-120 (1)

H	9.5 CM	S	-
T	3.1 CM	C	-
B	12.2 CM		

STAND OPTIONS

FT-120 (2)

H	9.5 CM	S	-
T	3.1 CM	C	-
B	12.2 CM		

SETS

A coordinated selection of glass plate and bowl sets designed to offer consistency and balance across the table.

Each set is carefully matched in form and finish, providing a cohesive presentation while maintaining the durability and quality required for everyday and professional use.

These sets are ideal for creating unified table settings across both retail and hospitality environments.

BB-7CS

BB-2350 1PC **BB-130** 6 PCS.

BH-7CS

BH-9B 1PC **BH-5B** 6 PCS.

ESK-7CS

ESK-250 1PC **ESK-125** 6 PCS.

SK-7CS

SK-9B 1PC **SK-5B** 6 PCS.

CEL-7CS

CEL-9B 1PC **CEL-5B** 6 PCS.

BF-7CS

BF-9B 1PC **BF-5B** 6 PCS.

BB-12

BB-100 6 PCS. **BB-5P** 6 PCS.

BH-12

BH-4B 6 PCS. **BH-5.5** 6 PCS.

RB-12

RB-105 6 PCS. **RB-5.25** 6 PCS.

PE-7DS

PE-13S 1PC **PE-7S** 6 PCS.

PM-7DS

PM-13S 1 PC. **PM-7S** 6 PCS.

BH-7DS

BH-13S 1 PC. **BH-7P** 6 PCS.

STB-BOWLS SET (WITH PLASTIC COVER)

ST-120 1 PC. **ST-140** 1 PC. **ST-170** 1 PC.

STB-BOWLS SET

ST-120 1 PC. **ST-140** 1 PC. **ST-170** 1 PC.

STB-140 SET (WITH PLASTIC COVER)

STB-140 3 PCS.

SULTANA BOWLS

3 BOWLS 4" inch

ASHTRAYS

A functional range of glass ashtrays designed for durability and ease of use. Produced with solid construction and smooth finishing, these pieces offer stability and reliable performance while maintaining a clean, understated appearance suitable for both indoor and outdoor settings.

BF-4.5

H	3.4 CM	S	-
T	11 CM	C	-
B	5.7 CM		

SG-4.5

H	3.4 CM	S	-
T	10.7 CM	C	-
B	4.8 CM		

AT-4.5

H	3.6 CM	S	-
T	11.5 CM	C	-
B	5 CM		

AT-106

H	3.6 CM	S	-
T	9.9 CM	C	-
B	8.4 CM		

AT-107

H	3.6 CM	S	-
T	10.8 CM	C	-
B	8.6 CM		

AT-148

H	4.3 CM	S	-
T	15 CM	C	-
B	13.4 CM		

Printing and Coloring

Our in-house design department offers tailored glass solutions developed to meet diverse market needs.
From refined colored glass collections to high-quality silk-screen printing, we work closely with our partners to create distinctive designs while maintaining consistency, durability, and production efficiency. This flexibility allows us to adapt shapes, colors, and decorative finishes to suit both retail and hospitality requirements.

GOOD
morning

uice
non

ce
GE

Coffee
ESPRESSO
Cappuccino
MOCCA
AMERICANO

KAFFEE
latte macchiat
CAFÉ

FRAPPUCINO
americano
MOCHA
CAPPUCINO

Americano
Espresso

MERRY
Christmas

شهادة 证书 CERTIFICATE CERTIFICATO CERTIFICADO CERTIFICAT SERTIFIKA

CERTIFICATE

PYRAMID COMPANY FOR GLASS MANUFACTURING

ADDRESS: FOURTH INDUSTRIAL ZONE, NEW BORG EL ARAB CITY, ALEXANDRIA – EGYPT

Certify that the occupational health & safety management system of the above organization has been auditedand found to be in accordance with the requirements of standard detailed below

ISO 45001:2018

For The Following Scope

MANUFACTURING OF GLASS HOUSEHOLD ITEMS

Certificate No:- QAIS-OH-EG-PC-09.23.022

EA Code:- 15

*This certificate is issued in accordance with the QACS International Pvt. Ltd. auditing and Certification procedures and it is remain valid subject to annual surveillance audit.

Certificate Issue Date	: 25.11.2023	**1st surveillance Date**	: 24.11.2024
Dated Of Initial Registration	: 25.11.2023	**2nd surveillance Date**	: 24.11.2025
Certificate Validity	: 03 Years	***Certificate Expiry Date**	: 24.11.2026

Note: Certificate shall be valid after surveillance, only if continuation letter by QACS is present.

QACS International Pvt. Ltd.
103 Labbaik Regency, 4/2 Old Palasia,
Indore (M.P.)-452001, India.
Email: info@qacsworld.com
To check the certificate validity please refer
Web: www.qacsworld.com

QACS Accredited By:
International Accreditation Service (IAS)
3060 Saturn Street Suite 100 Brea,
California 92821-1733, USA United
States Of America (USA)
Web:www.iasonline.org

Authorized Signatory

"Disclaimer: - This certificate is issued on the basis of random onsite inspection w.r.t. System/Product Certification of organisation as per the standard mentioned. This Certification do not involve any financial auditing. This certificate cannot be used as justification for running any type of deposit schemes. QACS will not be responsible if someone give deposit/advance based on this System/Product certification misbreating at as international financial audit."

شهادة 证书 CERTIFICATE CERTIFICATO CERTIFICADO CERTIFICAT SERTIFIKA

CERTIFICATE

PYRAMID COMPANY FOR GLASS MANUFACTURING

ADDRESS: FOURTH INDUSTRIAL ZONE, NEW BORG EL ARAB CITY, ALEXANDRIA – EGYPT

Certify that the environmental management system of the above organization has been auditedand found to be in accordance with the requirements of standard detailed below

ISO 14001:2015

For The Following Scope

MANUFACTURING OF GLASS HOUSEHOLD ITEMS

Certificate No:- QAIS-E-EG-PC-09.23.013

EA Code:- 15

*This certificate is issued in accordance with the QACS International Pvt. Ltd. auditing and Certification procedures and it is remain valid subject to annual surveillance audit.

Certificate Issue Date	: 25.11.2023	**1st surveillance Date**	: 24.11.2024
Dated Of Initial Registration	: 25.11.2023	**2nd surveillance Date**	: 24.11.2025
Certificate Validity	: 03 Years	***Certificate Expiry Date**	: 24.11.2026

Note: Certificate shall be valid after surveillance, only if continuation letter by QACS is present.

QACS International Pvt. Ltd.
103 Labbaik Regency, 4/2 Old Palasia,
Indore (M.P.)-452001, India.
Email: info@qacsworld.com
To check the certificate validity please refer
Web: www.qacsworld.com

QACS Accredited By:
International Accreditation Service (IAS)
3060 Saturn Street Suite 100 Brea,
California 92821-1733, USA United
States Of America (USA)
Web:www.iasonline.org

Authorized Signatory

"Disclaimer: - This certificate is issued on the basis of random onsite inspection w.r.t. System/Product Certification of organisation as per the standard mentioned. This Certification do not involve any financial auditing. This certificate cannot be used as justification for running any type of deposit schemes. QACS will not be responsible if someone give deposit/advance based on this System/Product certification misbreating at as international financial audit."

شهادة گواهینامه سرتیفیکیت CERTIFICATE CERTIFICATO CERTIFICADO CERTIFICAT SERTIFIKA

CERTIFICATE

PYRAMID FOR MANUFACTURING GLASS

ADDRESS: 4th INDUSTRIAL ZONE, NEW BORG EL ARAB CITY, ALEXANDRIA – EGYPT

Certify that the quality management system of the above organization has been audited and found to be in accordance with the requirements of standard detailed below

ISO 9001:2015

For The Following Scope

PRODUCTION AND EXPORTING OF TABLEWARE FROM GLASS

Certificate No:- QAIS-Q-EG-PF-10.22.043
EA Code: 15

**This certificate is issued in accordance with the QACS International Pvt. Ltd. auditing and Certification procedures and it is remain valid subject to annual surveillance audit.*

Certificate Issue Date: 22nd December 2022	***1st Surveillance Date: 21st December 2023***
Date of Initial Registration: 22nd December 2022	***2nd Surveillance Date: 21st December 2024***
Certificate Validity: 3 Years	****Expiry Date: 21st December 2025***

Note: Certificate shall be valid after surveillance, only if continuation letter by QACS is present.

To Check the certificate validity please
Refer Web:- (www.qacsworld.com)

"Disclaimer :- This ISO certification is not for marketing purpose and if any client use this certificate for marketing then QACS will not be responsible for this. This certificate is the property of QACS and shall be returned immediately when demanded."

MSCB-150

QACS International Pvt. Ltd.
103 Labbaik Regency, 4/2 Old Palasia, Indore(M.P.)-452001, India

Authorised Signatory

QACS INTERNATIONAL PVT LTD.
info@qacertification.asia, operationqacs@gmail.com, officeqacs@gmail.com
www.qacsworld.com

LEACHABLE LEAD AND CADMIUM(LFGB)

TL-543

TEST REPORT Job No./Report No TR2264107 Date: 23 February 2023 Page 1 of 5

PYRAMID GLASS – S.A.E. (FREE ZONE)
4TH INDUSTRIAL ZONE, BLOCK 18, BORG EL ARAB, ALEXANDRIA, EGYPT
TEL: 201005755522-01154440654
FAX: 203-4595785
To the attention of Abdelsamaan Mahmoud & Ahmed Sabry & Eman Salah & Islam Mahmoud

The following sample(s) was (were) submitted and identified by/on behalf of the client as:

Sample No.	Sample Description
A	Glass samples covered with organic and ceramic colors

Client's reference No.	:	TR 2264107
Colour	:	RED
Reference No.	:	PPGSB
Manufacturer	:	PYRAMID GLASS – S.A.E. (FREE ZONE)
Sample Receiving Date	:	08 February 2023
Test Performing Period	:	08 February 2023~23 February 2023
Overall Conclusion	:	**PASS**
Test Results	:	Please refer to the next page(s).
Performed Test Summary:		Selected test(s) as requested by client against Client's performance standard.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions/terms-e_document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.
Unless otherwise requested SGS applies shared risk decision rule.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."
In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory.

SGS Supervise Gözetime Etüd Kontrol Servisleri A.Ş. | Bağlar Mah. Osmanpaşa Cad. No:95 İç İstanbul Plaza A Girişi Güneşli 34209 İstanbul Türkiye
t +90 212 368 40 00 f +90 212 296 47 82 83 e sgs.turkey@sgs.com w www.sgs.com.tr
Member of the SGS Group

Doc. No.: CTSL-F-5.10-5B/0F / First Publish Date: 28.08.2014 / Revision Date / No. 04.03.2021 / 8

TL-543

TEST REPORT Job No./Report No TR2264107 Date: 23 February 2023 Page 2 of 5

Test Parameters	Result
Chemical tests	**A1**
Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) Section 30 and DIN 51032:1986 – Leachable Lead and Cadmium	M
FCM - Sensory Analysis for Packaging Materials and Packages for Food Products	M

Remarks	M = Meets client's requirement
	F = Does not meet client's requirement
	I = Inconclusive
	* = No specified requirement
Notes:	Conclusions on meet/fail are based on the test result from the actual sampling of the received sample(s).
	Residual sample can be returned to client if requested.

The test results relate to the tested items only.
Test reports without SGS seal and authorised signatures are invalid.

Issued in Istanbul
Signed for and on behalf of
SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

RAVIYE MUTLU Customer Services Supervisor	Bora Şirinbilek Hardline C&H Testing Services Manager

Component List / List of Materials for Chemical Test

Sample No.	Sample Description	Material No.	Component	Material	Colour
A	Glass samples covered with organic and ceramic colors	A1	Inner main	Glass	Orange

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions/terms-e_document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.
Unless otherwise requested SGS applies shared risk decision rule.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."
In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory.

SGS Supervise Gözetime Etüd Kontrol Servisleri A.Ş. | Bağlar Mah. Osmanpaşa Cad. No:95 İç İstanbul Plaza A Girişi Güneşli 34209 İstanbul Türkiye
t +90 212 368 40 00 f +90 212 296 47 82 83 e sgs.turkey@sgs.com w www.sgs.com.tr
Member of the SGS Group

Doc. No.: CTSL-F-5.10-5B/0F / First Publish Date: 28.08.2014 / Revision Date / No. 04.03.2021 / 8

TL-543

TEST REPORT Job No./Report No TR2264107 Date: 23 February 2023 Page 5 of 5

* * * End of Test Report * * *

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions/terms-e_document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.
Unless otherwise requested SGS applies shared risk decision rule.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."
In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory.

SGS Supervise Gözetime Etüd Kontrol Servisleri A.Ş. | Bağlar Mah. Osmanpaşa Cad. No:95 İç İstanbul Plaza A Girişi Güneşli 34209 İstanbul Türkiye
t +90 212 368 40 00 f +90 212 296 47 82 83 e sgs.turkey@sgs.com w www.sgs.com.tr
Member of the SGS Group

Doc. No.: CTSL-F-5.10-5B/0F / First Publish Date: 28.08.2014 / Revision Date / No. 04.03.2021 / 8

MICROWAVE RESISTANCE TEST

SGS

Test Report No.T32520260106SN-01 Date: Jan 17, 2025 Page 1 of 2

PYRAMID GLASS COMPANY

PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG EL-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260106SN with amendment for client's information as requested by client.

The following samples were submitted and identified by/on behalf of the client as:

PLATES - FLINT

Case No.	:	CA325202605529
Style/Item No.	:	PLATES - FLINT
Supplier	:	PYRAMID GLASS COMPANY S.A.E.
Manufacturer	:	PYRAMID GLASS COMPANY S.A.E.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 TO JAN 10, 2025

Test Requested	Conclusion
Microwave Resistance Test (BS EN 15284:2007)	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Yeung Wei Ching, Crystal
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

SGS

Test Report No.T32520260108SN-01 Date: Jan 17, 2025 Page 1 of 2

PYRAMID GLASS COMPANY

PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG EL-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260108SN with amendment for client's information as requested by client.

The following samples were submitted and identified by/on behalf of the client as:

MUGS - FLINT

Case No.	:	CA325202605549
Style/Item No.	:	MUGS - FLINT
Supplier	:	PYRAMID GLASS COMPANY S.A.E.
Manufacturer	:	PYRAMID GLASS COMPANY S.A.E.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 TO JAN 10, 2025

Test Requested	Conclusion
Microwave Resistance Test (BS EN 15284:2007)	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Yeung Wei Ching, Crystal
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

SGS

Test Report No.T32520260107SN-01 Date: Jan 17, 2025 Page 1 of 2

PYRAMID GLASS COMPANY

PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG EL-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260107SN with amendment for client's information as requested by client.

The following samples were submitted and identified by/on behalf of the client as:

BOWL - FLINT

Case No.	:	CA325202605539
Style/Item No.	:	BOWL - FLINT
Supplier	:	PYRAMID GLASS COMPANY S.A.E.
Manufacturer	:	PYRAMID GLASS COMPANY S.A.E.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 TO JAN 10, 2025

Test Requested	Conclusion
Microwave Resistance Test (BS EN 15284:2007)	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Yeung Wei Ching, Crystal
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

FREEZING TEST

SGS

Test Report No.T32520260105SN-01 Date: Jan 17, 2025 Page 1 of 2

PYRAMID GLASS COMPANY
PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG EL-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260105SN with amendment for client's information as requested by client.

The following samples were submitted and identified by/on behalf of the client as:
PLATES - FLINT

Case No.	:	CA325202605519
Style/Item No.	:	PLATES - FLINT
Supplier	:	PYRAMID GLASS COMPANY S.A.E.
Manufacturer	:	PYRAMID GLASS COMPANY S.A.E.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 TO JAN 10, 2025

Test Requested	Conclusion
Freezing Test (SGS In House Method)	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Yeung Wei Ching, Crystal
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong. t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong. www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

SGS

Test Report No.T32520260104SN-01 Date: Jan 17, 2025 Page 1 of 2

PYRAMID GLASS COMPANY
PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG EL-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260104SN with amendment for client's information as requested by client.

The following samples were submitted and identified by/on behalf of the client as:
MUGS - FLINT

Case No.	:	CA325202605509
Style/Item No.	:	MUGS - FLINT
Supplier	:	PYRAMID GLASS COMPANY S.A.E.
Manufacturer	:	PYRAMID GLASS COMPANY S.A.E.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 TO JAN 10, 2025

Test Requested	Conclusion
Freezing Test (SGS In House Method)	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Yeung Wei Ching, Crystal
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong. t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong. www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

SGS

Test Report No.T32520260103SN-01 Date: Jan 17, 2025 Page 1 of 2

PYRAMID GLASS COMPANY
PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG EL-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260103SN with amendment for client's information as requested by client.

The following samples were submitted and identified by/on behalf of the client as:
BOWL - FLINT

Case No.	:	CA325202605499
Style/Item No.	:	BOWL - FLINT
Supplier	:	PYRAMID GLASS COMPANY S.A.E.
Manufacturer	:	PYRAMID GLASS COMPANY S.A.E.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 TO JAN 10, 2025

Test Requested	Conclusion
Freezing Test (SGS In House Method)	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Yeung Wei Ching, Crystal
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong. t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong. www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

LEACHABLE LEAD AND CADMIUM(EU)

SGS

Test Report No.T32520260368SC-01 Date: Jan 16, 2025 Page 1 of 3

PYRAMID GLASS COMPANY

PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG El-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260368SC with amendment on report information as editorial change.

The following samples were submitted and identified by/on behalf of the client as:

TUMBLERS - HOT SPRAY COLOR

Case No.	:	CA325202605579
Style/Item No.	:	TUMBLER - HOT SPRAY COLOR
Supplier	:	PYRAMID GLASS
Manufacturer	:	PYRAMID GLASS
Manufacturer Address	:	PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG El-ARAB, ALEXANDRIA, EGYPT.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 – JAN 13, 2025

Test Requested		Conclusion
1.	**European Directive 84/500/EEC and its amendment 2005/31/EC – Leachable Lead and Cadmium**	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Lam Chi Ho, Jacko
Senior Chemist

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2784 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

SGS

Test Report No.T32520260367SC-01 Date: Jan 16, 2025 Page 1 of 3

PYRAMID GLASS COMPANY

PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG El-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260367SC with amendment on report information as editorial change.

The following samples were submitted and identified by/on behalf of the client as:

MUGS - HOT SPRAY COLOR

Case No.	:	CA325202605569
Style/Item No.	:	MUGS - HOT SPRAY COLOR
Supplier	:	PYRAMID GLASS
Manufacturer	:	PYRAMID GLASS
Manufacturer Address	:	PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG El-ARAB, ALEXANDRIA, EGYPT.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 – JAN 13, 2025

Test Requested		Conclusion
1.	**European Directive 84/500/EEC and its amendment 2005/31/EC – Leachable Lead and Cadmium**	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Lam Chi Ho, Jacko
Senior Chemist

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2784 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

SGS

Test Report No.T32520260369SC-01 Date: Jan 16, 2025 Page 1 of 3

PYRAMID GLASS COMPANY

PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG El-ARAB, ALEXANDRIA, EGYPT.

This report supersedes all previous documents bearing the test report number T32520260369SC with amendment on report information as editorial change.

The following samples were submitted and identified by/on behalf of the client as:

BOWLS - HOT SPRAY COLOR

Case No.	:	CA325202605589
Style/Item No.	:	BOWLS - HOT SPRAY COLOR
Supplier	:	PYRAMID GLASS
Manufacturer	:	PYRAMID GLASS
Manufacturer Address	:	PLOT 7-14, BLOCK 18, 4TH INDUSTRIAL ZONE, BORG El-ARAB, ALEXANDRIA, EGYPT.
Country of Origin	:	EGYPT
Sample Receiving Date	:	JAN 07, 2025
Testing Period	:	JAN 07, 2025 – JAN 13, 2025

Test Requested		Conclusion
1.	**European Directive 84/500/EEC and its amendment 2005/31/EC – Leachable Lead and Cadmium**	PASS

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of
SGS Hong Kong Ltd.

Lam Chi Ho, Jacko
Senior Chemist

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2784 3126 e mktg.hk@sgs.com
Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong www.sgs.com/en-hk/

Member of the SGS Group (SGS SA)

PYRAMID GLASS
RG-10B
1 Pieces

PYRAMID GLASS
GR-22
1 PIECE

PYRAMID GLASS
PP-2200
1 PIECE

PYRAMID GLASS
SJC-360
4 Pieces

PYRAMID GLASS
SJC-360
4 Pieces
EPEC-11W

AH-15T
3 Pieces

Notes

Telephone : +(203) 4628039 | +(203) 4628042 | +(203) 4628044
Emails : info@pyramidglassegypt.com | sales@pyramidglassegypt.com
Factory : Plot 7-14 ,BLOCK 18, 4th Industrial Zone
Borg El-Arab, Alexandria, Egypt.
Showroom : 43 Syria St, Mohandesin ,Cairo,Egypt.
Website : www.pyramidglassegypt.com